Gas Pressure Gauges (191P Series)

Applications

- · General gas measuring
- · Boiler gas measuring

Pressure Limitation

· Steady : 3/4 of full scale value (recommendation : 25% to 75% of full scale)

· Short time : full scale value

Operating Temperature

· Square Type : Ambient : 0 ~ 40°C

Media (Fluid) : -5 ~ 40°C

· Round Type : Ambient : 0 ~ 40°C

Media (Fluid) : -5 ~ 40°C





Standard Specification Overview

Size

· 22mm X 51mm (Square) 43.5mm (Round)

Reference Accuracy

· ± 3.0% of Full Scale

Scale Ranges

· 0 ~ 0.4 MPa

Standard Process Connection

· Hose Connection with Capillary Length 500mm

Material

· Case : Polycarbonate

· Ring (Cover) : Polycarbonate

· Window : Polycarbonate

· Pointer : Plastic, White Finished

· Connection : Brass · Element : Brass

· Movement : Brass

· Dial Plate : Square Type - Plastic

Round Type - Plastic


Optional Extra

- · Test Report by Manufacturer
- · Test Report by KOLAS (ILAC-MRA)

Ordering Information for 191P Series

		= Standard Products	▲ = Available	NA = Not Available	
Model	Description	Case & Ring		Wetted Parts	
191P	Gas Pressure Gauges	Polycarbonate		Brass	
Code	Dial Size	Accuracy		191P	
Е	Square (22mm X 51mm)	± 3.0% of F.S.			
G	Round (43.5mm) ± 3.0% of F.S. ●				
Code	Process Connection Style All			All	
9	Hose Connection •				
Χ	Others 🔊			©	
Code	Process Connection Size				
Α	Not Apply				
Code	Pressure Range			All	
115	0 ~ 0.4 MPa				
* MPa (SI Unit) is the standard dial scale but others are availble upon request.					
Code	Applicable Accessory Options				
J0	Not Apply				
Code	Options			All	
Test Reports					
T1	Test Report by Manufacturer			A	
T2	Test Report by KOLAS (ILAC-MRA)			A	
	odel Selection : 191PS1E9A115J0 dard specification and price are subject to change without prior noti	ine			
THE Staff	idard specification and price are subject to change without prior hot	ice.			

Gas Pressure Gauges (191P Series)



Model	Dial Size	Available Type
191P	Square (22mmX51mm)	Е
171F	ø43.5X26.6	G

HISCO, INC.